

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form : Mixture
Product name : 80% ALCOHOL WIPES
Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Intended for general public
Main use category : Consumer use
Industrial/Professional use spec : For General Use
Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

TR Bonnyman Son & Co
Willowburn Road
Willowyard Industrial Estate
KA15 1LN Beith - United Kingdom
T +44 1505 504716
hugh@bonnymans.co.uk - www.bonnymans.co.uk

1.4. Emergency telephone number

Emergency number : 0844 892 0111

Country	Organisation/Company	Address	Emergency number	Comment
	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0844 892 0111 (UK only)	

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Flammable liquids, Category 3 H226
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS02

Signal word (CLP) : Warning
Hazard statements (CLP) : H226 - _H_226_EU.

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P102 - _P_102_EU.
P210 - _P_210_2_EU.
P233 - _P_233_EU.
P240 - _P_240_2_EU.
P241 - _P_241_2_EU.
P280 - _P_280_2_EU.
P303+P361+P353 - _P_303-361-353_3_EU.
P370+P378 - _P_370-378_2_EU.
P403+P235 - _P_403-235_EU.
P501 - _P_501_EU.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol, ethyl alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5	≤ 86	Flam. Liq. 2, H225
Glycerine	(CAS No) 56-81-5 (EC no) 200-289-5	> 0.792	Not classified
Hydrogen Peroxide Solution	(CAS No) 7722-84-1 (EC no) 231-765-0 (EC index no) 008-003-00-9	0.05 – 0.25	Ox. Liq. 1, H271 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Hydrogen Peroxide Solution	(CAS No) 7722-84-1 (EC no) 231-765-0 (EC index no) 008-003-00-9	(5 ≤C < 8) Eye Irrit. 2, H319 (8 ≤C < 50) Eye Dam. 1, H318 (35 ≤C < 50) Skin Irrit. 2, H315 (35 ≤C < 100) STOT SE 3, H335 (50 ≤C < 70) Ox. Liq. 2, H272 (50 ≤C < 70) Skin Corr. 1B, H314 (70 ≤C < 100) Ox. Liq. 1, H271 (70 ≤C < 100) Skin Corr. 1A, H314

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour. Flammable liquid and vapour.
Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights.
No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.
Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : No naked lights. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge.

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/... equipment.
Storage conditions	: Keep in fireproof place. Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from :
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Heat sources. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol, ethyl alcohol (64-17-5)	
EU - Occupational Exposure Limits	
IOELV TWA (mg/m³)	1920 mg/m³
IOELV TWA (ppm)	1000 ppm

Glycerine (56-81-5)	
EU - Occupational Exposure Limits	
IOELV TWA (mg/m³)	10 mg/m³ (EH40 WEL, Time Weighted Average (TWA))

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:
Wear protective gloves

Eye protection:
Chemical goggles or safety glasses

Respiratory protection:
Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Alcohol Wipes
Appearance	: Clear liquid absorbed onto towelling.
Colour	: White Towelling.
Odour	: Alcohol like.
Odour threshold	: No data available
pH	: 5.5
Relative evaporation rate (butylacetate=1)	: No data available

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 30.2 °C
Self ignition temperature	: Not Self Igniting
Decomposition temperature	: No data available
Flammability (solid, gas)	: Highly flammable liquid and vapour, Flammable liquid and vapour
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.87 g/m³
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 13218390804.598 mm²/s
Viscosity, dynamic	: 11500 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture. Flammable liquid and vapour.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Open flame. Direct sunlight. Extremely high or low temperatures. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

May release flammable gases. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	6200 mg/kg
LC50 inhalation rat (mg/l)	124.7 mg/l/4h

Glycerine (56-81-5)	
LD50 oral rat	12600 mg/kg

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	≥ 10000 mg/kg
--------------------	---------------

Skin corrosion/irritation	: Not classified pH: 5.5
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified pH: 5.5
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

80% ALCOHOL WIPES	
Viscosity, kinematic	13218390804.598 mm²/s

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
---	---

SECTION 12: Ecological information

12.1. Toxicity

Aquatic acute	: Not classified
Aquatic chronic	: Not classified

ethanol, ethyl alcohol (64-17-5)	
LC50 fishes 1	8150 mg/l <i>Leuciscus idus</i> (Golden orfe)
EC50 Daphnia 1	9268 – 14221 mg/l

Glycerine (56-81-5)	
LC50 fishes 1	54000 mg/l (<i>Oncorhynchus mykiss</i> ; 96 hours)
LC50 other aquatic organisms 1	(<i>Daphnia magna</i> ; 24 hours)
EC50 Daphnia 1	≥ 10000 mg/l
EC50 other aquatic organisms 1	≥ 1000 mg/l (activated sludge) (Toxicity to bacteria)

12.2. Persistence and degradability

80% ALCOHOL WIPES	
Persistence and degradability	Not established.

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanol, ethyl alcohol (64-17-5)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Glycerine (56-81-5)

Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	0.87 g O ₂ /g substance
Chemical oxygen demand (COD)	1.16 g O ₂ /g substance
Biodegradation	82 % (Exposure Time: 20 d)

12.3. Bioaccumulative potential

80% ALCOHOL WIPES

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to ... Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA

14.1. UN number

UN-No. (ADR)	: UN 1170
UN-No. (IMDG)	: UN 1170
UN-No. (IATA)	: UN 1170
UN-No. (ADN)	: UN 1170
UN-No. (RID)	: UN 1170

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IMDG)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (IATA)	: ETHANOL SOLUTION
Proper Shipping Name (ADN)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Proper Shipping Name (RID)	: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport document description (ADR)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E)
Transport document description (IMDG)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
Transport document description (IATA)	: UN 1170 ETHANOL SOLUTION, 3, III
Transport document description (ADN)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III
Transport document description (RID)	: UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3

:



IMDG

Transport hazard class(es) (IMDG) : 3
Danger labels (IMDG) : 3

:



IATA

Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3

:



ADN

Transport hazard class(es) (ADN) : 3
Danger labels (ADN) : 3

:



RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3

:



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III
Packing group (RID) : III

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport


Classification code (ADR) : F1

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provision (ADR)	: 144, 601
Limited quantities (ADR)	: 5L
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Mixed Portable tank and bulk container instructions (ADR)	: T2
Mixed Portable tank and bulk container special provisions (ADR)	: TP1
ADR tank codes (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •2YE

Transport by sea

Special provision (IMDG)	: 144, 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3, A58, A180
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Special provision (ADN)	: 144, 601
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: F1
Special provision (RID)	: 144, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T2
Portable tank and bulk container special provisions (RID)	: TP1
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Authorisations and/or restrictions on use (Annex XVII):

Reference code	Applicable on	Entry title or description
3(a)	ethanol, ethyl alcohol	Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
40.	ethanol, ethyl alcohol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Flam. Liq. 3	H226
--------------	------

Full text of H- and EUH-phrases:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Ox. Liq. 1	Oxidising Liquids, Category 1
Ox. Liq. 2	Oxidising Liquids, Category 2

80% ALCOHOL WIPES

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	_H_225_EU
H226	_H_226_EU
H271	_H_271_EU
H272	_H_272_EU
H302	_H_302_EU
H314	_H_314_3_EU
H315	_H_315_EU
H318	_H_318_2_EU
H319	_H_319_EU
H332	_H_332_EU
H335	_H_335_EU

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product